

stick

listino - price list



BONUS IDRICO LEGGE DI BILANCIO 2021


Decreto legge del 27/09/2021

FINITURE FINISHES

La serie **STICK** è disponibile nelle seguenti finiture:
STICK range is available in the following finishes:

CR	cromato chrome plated
----	--------------------------

stick



Miscelatore incasso lavabo (max 6 l/min) completo di:

- piastra Ø70mm
- attacchi 1/2"G

Concealed single lever basin mixer (max 6 l/min) complete with:

- wall plates Ø70mm
- 1/2"G connections

SK 006..-70-R6

con bocca e aeratore M22x1 - l. 175mm
with spout and aerator M22x1 - l. 175mm

Finiture - Finishes

CR

EUR


141,50

SK 007..-70-R6

con bocca e aeratore M22x1 - l. 245mm
with spout and aerator M22x1 - l. 245mm

CR

147,00



Miscelatore incasso lavabo (max 6 l/min) completo di:

- piastra in acciaio inox 250x100mm
- attacchi 1/2"G

Concealed single lever basin mixer (max 6 l/min) complete with:

- stainless steel wall plate 250x100mm
- 1/2"G connections

SK 104..-R6

con bocca e aeratore M16x1 - l. 123mm
with spout and aerator M16x1 - l. 123mm

Finiture - Finishes

CR

EUR

213,00

SK 105..-R6

con bocca e aeratore M16x1 - l. 178mm
with spout and aerator M16x1 - l. 178mm

CR


219,00

SK 106..-R6

con bocca e aeratore M16x1 - l. 248mm
with spout and aerator M16x1 - l. 248mm

CR

226,00



Miscelatore incasso lavabo (max 6 l/min) completo di:

- piastre in ottone Ø70mm
- attacchi 1/2"G

Concealed single lever basin mixer (max 6 l/min) complete with:

- metal wall plates Ø70mm
- 1/2"G connections

SK 104..-70-R6

con bocca e aeratore M16x1 - l. 123mm
with spout and aerator M16x1 - l. 123mm

Finiture - Finishes

CR

EUR

172,00

SK 105..-70-R6

con bocca e aeratore M16x1 - l. 178mm
with spout and aerator M16x1 - l. 178mm

CR


177,00

SK 106..-70-R6

con bocca e aeratore M16x1 - l. 248mm
with spout and aerator M16x1 - l. 248mm

CR

183,00



Miscelatore lavabo (max 6 l/min) completo di:

- aeratore M24x1
- set 2 flessibili inox 3/8"G

Wash basin mixer (max 6 l/min) complete with:

- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

SK 071H..-R6

senza scarico
without pop up waste

Finiture - Finishes

CR

EUR

91,20

SK 071HK..-R6

con scarico Clic-Clac 1"1/4G
with 1"1/4G Clic-Clac press top waste

CR


121,20

SK 075H..-R6

con scarico automatico 1"1/4G
with 1"1/4G pop up waste

CR

106,90



- cartuccia Energy & Water Saving
- aeratore M24x1
- set 2 flessibili inox 3/8"G

- Energy & Water Saving cartridge
- aerator M24x1
- set of 2 stainless steel hoses 3/8" G


senza scarico
without pop up waste

.....
con scarico automatico 1"1/4G
with 1"1/4G pop up waste

CR 98,00


.....
CR 113,30

.....
113,30




Risparmia energia, perchè apre al centro e dà acqua fredda, mentre l'acqua calda esce solo con il movimento della leva verso sinistra.

It saves energy delivering cold water from middle position already; hot water comes out with handle left movement only.



Risparmia acqua, perchè dobbiamo vincere un'altra resistenza in apertura per avere più portata d'acqua (funge da deterrente contro l'inconsapevole apertura completa dell'acqua).

It saves water, because user must override "resistance bump" to obtain high flow - acts as deterrent to unconsciously turning handle on to full flow position regardless of water requirement.




- aeratore M24x1
- set 2 flessibili inox 3/8" G

- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

senza scarico
• con prolunga 125 mm
without pop up waste
• with extension 125 mm

CR	126.60
----	--------



- con snodo e aeratore M24x1
- set 2 flessibili inox 3/8"G

- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

senza scarico
without pop up waste

con scarico Clic-Clac 1"1/4G
with 1"1/4G Clic-Clac press top waste

con scarico automatico 1"1/4G
with 1"1/4G pop up waste

CR 91,20


.....
CR 121.20

.....
121.20

.....
CR 106.90

.....
106.90

stick




Miscelatore doccia (max 9 l/min) completo di:
 • set 2 eccentrici 1/2"x3/4"G e rosoni
 Shower mixer (max 9 l/min) complete with:
 • set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

SK 168.. -R9 **Finiture - Finishes** **EUR**
 senza set doccia **CR** **120,70**
 • con attacco inferiore 1/2"G

without shower set
 • with 1/2"G lower connection

SK 168D.. -R9 **Finiture - Finishes** **EUR**
 con supporto a muro snodato in ABS **CR** **145,20**
 • con doccia e flessibile


with ABS joint wall bracket
 • with hand-shower and flexible hose



Miscelatore lavello monoforo (max 6 l/min) completo di:

- aeratore M22x1F
 - set 2 flessibili inox 3/8"G
- One-hole sink mixer (max 6 l/min) complete with:
- aerator M22x1F
 - set of 2 stainless steel hoses 3/8"G

SK 180.. -R6 **Finiture - Finishes** **EUR**
 con canna orientabile **CR** **125,60**
 with swivelling spout




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- set 2 flessibili inox 3/8"G
- 1 flessibile inox M15x1
- 1 flessibile nylon 1/2"G x M15x1 cm. 150 con piombo

One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500 mm nylon hose with weight

SK 185.. -R6 **Finiture - Finishes** **EUR**
 con doccia estraibile (monogetto) in metallo **CR** **181,50**
 with (single spray) metal pull out hand-shower




Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- set 2 flessibili inox 3/8"G
- One-hole sink mixer with swivelling spout (max 6 l/min) complete with:
- set of 2 stainless steel hoses 3/8"G

SK 176.. -R6 **Finiture - Finishes** **EUR**
 Professional **CR** **258,40**
 • con doccia Happy (2 getti) in ABS

Professional
 • with Happy (two-spray) ABS hand-shower



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- set 2 flessibili inox 3/8"G


One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- set of 2 stainless steel hoses 3/8"G

SK 177.. -R6

- Professional
- con doccia Bombata (2 getti) in ABS
- Professional
- with Bombata (two-spray) ABS hand-shower

Finiture - Finishes	EUR
CR	258,40



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- set 2 flessibili inox 3/8"G


One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- set of 2 stainless steel hoses 3/8"G

SK 178.. -R6

- Professional
- con doccia Lux (2 getti) in ABS
- Professional
- with Lux (two-spray) ABS hand-shower

Finiture - Finishes	EUR
CR	271,60



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- set 2 flessibili inox 3/8"G


One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- set of 2 stainless steel hoses 3/8"G

SK 179.. -R6

- Professional
- con doccia Minimal (2 getti) in ABS
- Professional
- with Minimal (two-spray) ABS hand-shower

Finiture - Finishes	EUR
CR	267,00



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- aeratore M22x1
- set 2 flessibili inox 3/8"G
- 1 flessibile inox 3/4"G


One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- aerator M22x1
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose 3/4"G

SK 184.. -R6

- con attacco lavastoviglie
- with dishwasher machine connection

Finiture - Finishes	EUR
CR	169,50



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- aeratore M22x1
- set 2 flessibili inox 3/8"G
- 1 flessibile inox 1/2"G

One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- aerator M22x1
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose 1/2"G

SK 190..-R6 3 VIE

Finiture - Finishes


EUR

3° ingresso per acqua depurata

CR

169,50

3rd inlet for purified water



Miscelatore lavello monoforo con canna orientabile (max 6 l/min) completo di:

- aeratore M22x1
- set 2 flessibili inox 3/8"G

One-hole sink mixer with swivelling spout (max 6 l/min) complete with:

- aerator M22x1
- set of 2 stainless steel hoses 3/8"G

SK 189..-R6

Finiture - Finishes

EUR

con canna reclinabile

CR

171,10



• altezza minima per apertura finestra

76 mm

with reclining spout

• minimum height for windows opening

76 mm



Colonna doccia regolabile MASTER TOP (max 9 l/min) completa di:

- deviatore
- supporto scorrevole tondo
- doccia MASTER in metallo
- soffione MASTER tondo Ø225mm in metallo
- flessibile PVC argento 1500 mm

MASTER TOP adjustable shower column (max 9 l/min) complete with:

- diverter
- round sliding bracket
- MASTER metal hand-shower
- MASTER Ø225mm "Round" metal shower head
- Silver PVC flexible hose 1500mm

ZCOL 621..-R9 MASTER TOP

Finiture - Finishes



EUR

con miscelatore SK168RCR

CR

518,90

with mixer SK168RCR



Soffione MASTER "Tondo" (max 9 l/min) in metallo:

- anticalcare
- spessore 8mm
- con snodo 1/2"G

MASTER "Round" metal shower head (max 9 l/min):

- antiscala system
- 8mm thickness
- 1/2"G swivel joint

ZSOF 074..-R9 MASTER

Finiture - Finishes



EUR

ispezionabile - Ø225mm

CR

96,40

inspectable - Ø225mm



Soffione MASTER KING "Tondo" (max 9 l/min) in metallo:

- anticalcare
- spessore 8mm
- con snodo 1/2"G

MASTER KING "Round" metal shower head (max 9 l/min):

- antiscale system
- 8mm thickness
- 1/2"G swivel joint

ZSOF 079.. -R9 MASTER KING

Finiture - Finishes

EUR

ispezionabile - Ø300mm

CR

269,00

inspectable - Ø300mm

		Finiture - Finishes	EUR
ZACC243	Riduttore di portata (max 9 l/min) per artt. ZSOF 074-079 Flow reducer (max 9 l/min) for artt. ZSOF 074-079		2,50

		Finiture - Finishes	EUR
ZACC307	Valvolina antiritorno D.15 (max 9 l/min) per artt. SK 168-168D / ZDOC 032 / ZDUP 054-060-094 D.15 check valve (max 9 l/min) for artt. SK 168-168D / ZDOC 032 / ZDUP 054-060-094		4,50

		Finiture - Finishes	EUR
ZACC456	Valvolina antiritorno D.15 (max 9 l/min) per artt. SK 176-177 D.15 check valve (max 9 l/min) for artt. SK 176-177		3,90

		Finiture - Finishes	EUR
ZACC479	Valvolina antiritorno D.14 (max 9 l/min) per artt. SK 178-179 D.14 check valve (max 9 l/min) for artt. SK 178-179		3,90

		Finiture - Finishes	EUR
ZAER033CR-6	Aeratore F22x1 (max 6 l/min) per artt. SK 006..70-007..70-180-184-189-190 Aerator F22x1 (max 6 l/min) for artt. SK 006..70-007..70-180-184-189-190	CR	9,70

		Finiture - Finishes	EUR
ZAER039CR-6	Aeratore Ø28 - F22x1 (max 6 l/min) per artt. SK 185 Aerator Ø28 - F22x1 (max 6 l/min) for artt. SK 185	CR	14,40

		Finiture - Finishes	EUR
ZAER16FCR-6	Aeratore F16x1 (max 6 l/min) per artt. SK 104-105-106 Aerator F16x1 (max 6 l/min) for artt. SK 104-105-106	CR	9,10

		Finiture - Finishes	EUR
ZAER24MCR-6	Aeratore M24x1 (max 6 l/min) per artt. SK 071H-071HK-071H..120-075H-131H-131HK-135 Aerator M24x1 (max 6 l/min) for artt. SK 071H-071HK-071H..120-075H-131H-131HK-135	CR	9,10



ZRAC141 Raccordo F1/2"xM1/2" con valvolina antiritorno D.15 (max 9 l/min) per art. ZDOC 067
F1/2"xM1/2" connection with D.15 check valve (max 9 l/min) for art. ZDOC 067

Finiture - Finishes	EUR
CR	11,10

.....

